



Notice of Construction Application

A notice of construction permit is required before installing a new source of air pollution or modifying an existing source of air pollution. This application applies to facilities in Ecology’s jurisdiction. Submit this application for review of your project. For general information about completing the application, refer to Ecology Forms ECY 070-410a-g, “Instructions for Ecology’s Notice of Construction Application.”

Ecology offers up to two hours of free pre-application assistance. We encourage you to schedule a pre-application meeting with the contact person specified for the location of your proposal, below. If you use up your two hours of free pre-application assistance, we will continue to assist you after you submit Part 1 of the application and the application fee. You may schedule a meeting with us at any point in the process.

Upon completion of the application, please enclose a check for the initial fee and mail to:

**Department of Ecology
Cashiering Unit
PO Box 47611
Olympia, WA 98504-7611**

For Fiscal Office Use Only: 0299-3030404-B00-216--001--000404

Check the box for the location of your proposal. For assistance, call the appropriate office listed below:

Check box	Ecology Permitting Office	Contact
☐	Chelan, Douglas, Kittitas, Klickitat, or Okanogan County Ecology Central Regional Office (509) 575-2490	Lynnette Haller (509) 457-7126 lynnette.haller@ecy.wa.gov
☒	Adams, Asotin, Columbia, Ferry, Franklin, Garfield, Grant, Lincoln, Pend Oreille, Stevens, Walla Walla, or Whitman County Ecology Eastern Regional Office (509) 329-3400	Karin Baldwin (509) 329-3452 karin.baldwin@ecy.wa.gov
☐	San Juan County Ecology Northwest Regional Office (206) 594-0000	David Adler (425) 649-7267 david.adler@ecy.wa.gov
☐	For actions taken at Kraft and Sulfite Paper Mills and Aluminum Smelters Only Ecology Industrial Section (360) 407-6900	James DeMay (360) 407-6868 james.demay@ecy.wa.gov
☐	For actions taken on the US Department of Energy Hanford Reservation Only Ecology Nuclear Waste Program (509) 372-7950	Lilyann Murphy (509) 372-7951 lilyann.murphy@ecy.wa.gov

Check the box below for the fee that applies to your application.

New project or equipment:

- ☐ **\$1,904: Basic project** initial fee covers up to 16 hours of review.
- ☒ **\$12,614: Complex project** initial fee covers up to 106 hours of review.

Change to an existing permit or equipment:

- ☐ **\$357: Administrative or simple change** initial fee covers up to 3 hours of review. Ecology may determine your change is complex during the completeness review of your application. If you project is complex, you must pay the additional xxx before we will continue working on your application
- ☐ **\$1,190: Complex change** initial fee covers up to 10 hours of review
- ☐ **\$350flat fee:** Replace or alter control technology equipment under WAC 173-400-114. Ecology will contact you if we determine your change belongs in another fee category. You must pay the fee associated with that category before we will continue working on your application.

Read each statement below, then check the box next to it to acknowledge that you agree.

- ☒ The initial fee you submitted may not cover the cost of processing your application. Ecology will track the number of hours spent on your project. If the number of hours Ecology spends exceeds the hours included in your initial fee, Ecology will bill you \$119 per hour for the extra time.
- ☒ You must include all information requested by this application. Ecology may not process your application if it does not include all the information requested.
- ☒ Submittal of this application allows Ecology staff to visit and inspect your facility.

Part 1: General Information

I. Project, Facility, and Company Information

1. Project Name: Building E Additional Gensets Notice of Construction
2. Facility Name: Intergate Quincy
3. Facility Street Address: 2200 M Street NE, Quincy, WA 98848
4. Facility Legal Description: S9 T20N R24E
5. Company Legal Name (if different from Facility Name):
Sabey Data Center Properties
6. Company Mailing Address (street, city, state, zip)
12201 Tukwila International Boulevard, 4th Floor, Seattle, WA 98168

II. Contact Information and Certification

1. Facility Contact Name (who will be onsite): Shaun Devine
2. Facility Contact Mailing Address (if different than Company Mailing Address):
Same as company mailing address

3. Facility Contact Phone Number: (206) 277-5343
4. Facility Contact E-mail: shaund@sabey.com
5. Billing Contact Name (who should receive billing information):
Lisa Carr
6. Billing Contact Mailing Address (if different Company Mailing Address):
Same as company mailing address
7. Billing contact Phone Number: (206) 281-8700
8. Billing Contact E-mail: lisac@sabey.com
9. Consultant Name (optional – if 3rd party hired to complete application elements):
Sam Najmolhoda
10. Consultant Organization/Company: Trinity Consultants
11. Consultant Mailing Address (street, city, state, zip): 315 5th Ave S, Suite 830, Seattle, WA, 98104
12. Consultant Phone Number: 253.867.5600 x4806
13. Consultant E-mail: snajmolhoda@trinityconsultants.com
14. Responsible Official Name and Title (who is responsible for project policy or decision making):
Dave Buckner - VP Engineering and Development
15. Responsible Official Phone: (206) 391-0420
16. Responsible Official E-mail: daveb@sabey.com
17. Responsible Official Certification and Signature:
I certify that the information on this application is accurate and complete.

Signature: *Dave R Buckner*
Dave R Buckner (Mar 21, 2025 13:24 PDT) Date: Mar 21, 2025

Part 2: Technical Information

The Technical Information may be sent with this application form to the Cashiering Unit, or may be sent directly to the Ecology regional office with jurisdiction along with a copy of this application form.

For all sections, check the box next to each item as you complete it.

III. Project Description

- ☒ Written narrative describing your proposed project.
- ☒ Projected construction start and completion dates.
- ☒ Operating schedule and production rates.
- ☒ List of all major process equipment and manufacturer and maximum rated capacity.
- ☐ Process flow diagram with all emission points identified. N/A
- ☒ Plan view site map.
- ☒ Manufacturer specification sheets for major process equipment components
- ☐ Manufacturer specification sheets for pollution control equipment. N/A
- ☒ Fuel specifications, including type, consumption (per hour and per year) and percent sulfur.

IV. State Environmental Policy Act (SEPA) Compliance

Check the appropriate box below.

- ☒ SEPA review is complete. Include a copy of the final SEPA checklist and SEPA determination (e.g., DNS, MDNS, and EIS) with your application.
- ☐ SEPA review has not been conducted:
 - ☐ If review will be conducted by another agency, list the agency. You must provide a copy of the final SEPA checklist and SEPA determination before Ecology will issue your permit.
Agency reviewing SEPA: _____
 - ☐ If the review will be conducted by Ecology, fill out a SEPA checklist and submit it with your application. You can find a SEPA checklist online at <https://ecology.wa.gov/Regulations-Permits/SEPA/Environmental-review/SEPA-document-templates>

V. Emissions Estimations of Criteria Pollutants

Does your project generate criteria air pollutant emissions? ☒ Yes ☐ No

If yes, please provide the following information regarding your criteria emissions in the application.

- ☒ The names of the criteria air pollutants emitted (i.e., NO_x, SO₂, CO, PM_{2.5}, PM₁₀, TSP, VOC, and Pb)
- ☒ Potential emissions of criteria air pollutants in tons per hour, tons per day, and tons per year (include calculations)
- ☐ If there will be any fugitive criteria pollutant emissions, clearly identify the pollutant and quantity

VI. Emissions Estimations of Toxic Air Pollutants

Does your project generate toxic air pollutant emissions? ☒ Yes ☐ No

If yes, please provide the following information regarding your toxic air pollutant emissions in your application.

- ☒ The names of the toxic air pollutants emitted (specified in [WAC 173-460-150](http://apps.leg.wa.gov/WAC/default.aspx?cite=173-460-150)¹)
- ☒ Potential emissions of toxic air pollutants in pounds per hour, pounds per day, and pounds per year (include calculations)
- ☐ If there will be any fugitive toxic air pollutant emissions, clearly identify the pollutant and quantity

VII. Emission Standard Compliance

- ☒ Provide a list of all applicable new source performance standards, national emission standards for hazardous air pollutants, national emission standards for hazardous air pollutants for source categories, and emission standards adopted under Chapter 70A.15 RCW.

Does your project comply with all applicable standards identified? ☒ Yes ☐ No

VIII. Best Available Control Technology

- ☒ Provide a complete evaluation of Best Available Control Technology (BACT) for your proposal.

IX. Ambient Air Impacts Analyses

Please provide the following:

- ☒ Ambient air impacts analyses for Criteria Air Pollutants (including fugitive emissions)
- ☒ Ambient air impacts analyses for Toxic Air Pollutants (including fugitive emissions)
- ☒ Discharge point data for each point included in air impacts analyses (include only if modeling is required)
 - ☒ Exhaust height
 - ☒ Exhaust inside dimensions (ex. diameter or length and width)
 - ☒ Exhaust gas velocity or volumetric flow rate
 - ☒ Exhaust gas exit temperature
 - ☒ The volumetric flow rate
 - ☒ Description of the discharges (i.e., vertically or horizontally) and whether there are any obstructions (ex., raincap)
 - ☒ Identification of the emission unit(s) discharging from the point
 - ☒ The distance from the stack to the nearest property line
 - ☒ Emission unit building height, width, and length
 - ☒ Height of tallest building on-site or in the vicinity and the nearest distance of that building to the exhaust
 - ☒ Whether the facility is in an urban or rural location

Does your project cause or contribute to a violation of any ambient air quality standard or acceptable source impact level? ☒ Yes ☐ No Tier 2 TAP Analysis will be submitted. Project complies with NAAQS.

To request ADA accommodation, call Ecology at (360) 407-6800, 711 (relay service), or (877) 833-6341 (TTY)

¹ <http://apps.leg.wa.gov/WAC/default.aspx?cite=173-460-150>

DETERMINATION OF NONSIGNIFICANCE

Description of proposal: Construction of approximately 140,000 square foot data center building and associated site work for Phase 1. With Phase 2 likely beginning in 2021 of 550,000 square foot data center and associated site work. A pre-application meeting was held with the applicant and City departments regarding the project and mitigation of utility requirements will be part of the permit process. Additionally the applicant will be required to mitigate air quality through the Department of Ecology Air Quality permitting process.

Proponent: Sabey Intergate.Quincy VI LLC

Location of proposal, including street address, 2200 M Street NE, Quincy, WA 98848

Lead agency: City of Quincy

The lead agency for this proposal has determined that it does not have a probable significant adverse impact on the environment. An environmental impact statement (EIS) is not required under RCW 43.21C.030 (2)(c). This decision was made after review of a completed environmental checklist and other information on file with the lead agency. This information is available to the public on request.

☐ There is no comment period for this DNS.

☐ This DNS is issued after using the optional DNS process in WAC 197-11-355. There is no further comment period on the DNS.

X This DNS is issued under WAC 197-11-340(2); the lead agency will not act on this proposal for 14 days from the date below. Comments must be submitted by July 18, 2019

Responsible official: Carl Worley


Position/title: Building Official

Phone: 509 787 3523

Address PO Box 338 Quincy WA 98848

Date. July 1, 2019

Signature



(OPTIONAL)

X You may appeal this determination to: Carl Worley

at 115 First Ave SW

no later than July 18, 2019

by (method) Written

You should be prepared to make specific factual objections.

Contact Carl Worley to read or ask about the procedures for SEPA appeals.

☐ There is no agency appeal.