



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47600 • Olympia, WA 98504-7600 • 360-407-6000

711 for Washington Relay Service • Persons with a speech disability can call 877-833-6341

May 14, 2013

Brenda Guglielmina
DeepRoot Partners
530 Washington Street
San Francisco, CA 94111

RE: Silva Cells for Stormwater Runoff Filtration

Dear Ms. Guglielmina:

The Washington State Department of Ecology (Ecology) finds the Silva Cells functionally equivalent to a bioretention facility. The media specifications for Silva Cells must adhere to the guidelines for Bioretention areas, found in Appendix C, Volume III, in the 2005 Stormwater Management Manual for Western Washington (SWMMWW); or BMP T7.30 in the 2012 SWMMWW. The sizing procedure must also adhere to the procedure outlined in the Bioretention area of the manuals mentioned above or the procedure DeepRoot submitted to Ecology for design of the Silva Cells using WWHM dated March 2013.

Contractors may use the Silva Cells BMP at project sites without seeking additional Ecology approval though Ecology cannot endorse this product or its manufacturer. Manufacturer installation recommendations must be followed.

For more information, contact Doug Howie at douglas.howie@ecy.wa.gov, or (360) 407-6444.

Sincerely

Douglas C. Howie, P.E.
Stormwater Engineer
Program Development Services
Water Quality Program

cc: Kathleen Emmett, Ecology
Ed O'Brien, Ecology

